

TECHNICAL DATA SHEET

CLR PRO[®] RESTROOM CLEANER

DESCRIPTION

CLR PRO[®] Restroom Cleaner is a multi-surface cleaner designed to remove dirt, calcium, lime, hard water deposits, and soap scum in commercial restrooms.

FEATURES & BENEFITS

- Multi-surface cleaner for use in restrooms and restroom-related areas
- Removes calcium, lime, hard water deposits, soap scum, discoloration, and dirt
- Great for stainless steel, ceramic/porcelain sinks, bath tubs, and toilets
- Readily biodegradable—safe on all plumbing
- Septic and gray water safe—won't harm flow of septic
- Part of the EPA's Safer Choice Program recognizing the product as a safer alternative to harsh chemicals without sacrificing the quality or product performance.
- Contains no phosphates, ammonia, or bleach
- Complies with LEED Green building product purchasing requirements

SURFACES

PLASTIC	GLASS	CERAMIC
CERAMIC TILE	GRANITE (SEALED)	CHROME
STAINLESS STEEL	CORIAN [®]	
FIBERGLASS	PORCELAIN	

DIRECTIONS FOR USE

Spot test on an inconspicuous area before applying. Dwell time may vary by soil load.

Apply product to surface. Let dwell before wiping surface with damp cloth, sponge, or brush.

Rinse promptly and thoroughly with clean cold water.

Not recommended for: Natural or synthetic marble, wood, colored grout, wall coverings, painted surfaces, or fabrics.

Product	Size	Stock #
CLR PRO [®] Restroom Cleaner	32 oz. spray	FM-RC32-6PRO

Safety: See label and SDS for precautionary instructions before use. Use appropriate safety equipment and job site controls during application, handling, and disposing. SDS is available online at www.clrpro.com.



PHYSICAL & CHEMICAL PROPERTIES

Appearance	Crystal clear, water white liquid
Odor	Clean floral
Odor Threshold	N.D.
pH @20°C	2.40-2.70
Melting Point	N.D.
Freezing Point	N.D.
Boiling Point	99°C / 210°F
Boiling Point Range	N.A.
Flash Point	None
Evaporation Rate	N.D.
Flammability	Not Flammable
Upper/Lower Flammability	N.A.
Vapor Pressure	N.D.
Vapor Density (mm Hg)	N.D.
Relative Density @20°C	1.000 - 1.020
Solubility in Water	100%
Partition Coefficient; n-octanol/water	N.D.
Auto Ignition Temperature	N.A.
Decomposition Temperature	N.A.
Viscosity	N.D.
VOC	0%

TDS-FM-RC1224